Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	3454	(user or client) with (performance near5 data)	US-PGPUB; USPAT	OR	ON	2004/11/05 15:10
S2	1972	((user or client) with (performance near5 data)) and @ad<"20010627"	US-PGPUB; USPAT	OR	ON	2004/11/05 15:11
S3	1972	(((user or client) with (performance near5 data)) and @ad<"20010627") and (user or client or terminal or workstation)	US-PGPUB; USPAT	OR	ON	2004/11/05 13:41
S4	1171	((((user or client) with (performance near5 data)) and @ad<"20010627") and (user or client or terminal or workstation)) and (vendor or server)	US-PGPUB; USPAT	OR	ON	2004/11/05 14:15
S5	867	(((((user or client) with (performance near5 data)) and @ad<"20010627") and (user or client or terminal or workstation)) and (vendor or server)) and (portion or partial)	US-PGPUB; USPAT	OR	ON	2004/11/05 14:14
S6	784	((((((user or client) with (performance near5 data)) and @ad<"20010627") and (user or client or terminal or workstation)) and (vendor or server)) and (portion or partial)) and (send\$3 or transmi\$6)	US-PGPUB; USPAT	OR	ON	2004/11/05 13:43
S7	423	((((((((user or client) with (performance near5 data)) and @ad<"20010627") and (user or client or terminal or workstation)) and (vendor or server)) and (portion or partial)) and (send\$3 or transmi\$6)) and @ad<"19990627"	US-PGPUB; USPAT	OR	ON	2004/11/05 13:44
S8	2565	(collect\$3 or aggregat\$3) with (performance near5 data)	US-PGPUB; USPAT	OR	ON	2004/11/05 13:46
S9	307	(((user or client) with (performance near5 data)) and @ad<"20010627") and ((collect\$3 or aggregat\$3) with (performance near5 data))	US-PGPUB; USPAT	OR	ON	2004/11/05 13:46
S10	218	((((user or client) with (performance near5 data)) and @ad<"20010627") and ((collect\$3 or aggregat\$3) with (performance near5 data))) and (portion or partial)	US-PGPUB; USPAT	OR	ON	2004/11/05 14:15
S11	160	(((((user or client) with (performance near5 data)) and @ad<"20010627") and ((collect\$3 or aggregat\$3) with (performance near5 data))) and (portion or partial)) and (vendor or server)	US-PGPUB; USPAT	OR	ON	2004/11/05 14:15

9/30/06 8:24:28 PM

			11.00			
S12	154	((((((user or client) with (performance near5 data)) and @ad<"20010627") and ((collect\$3 or aggregat\$3) with (performance near5 data))) and (portion or partial)) and (vendor or server)) and access\$3	US-PGPUB; USPAT	OR	ON	2004/11/05 14:16
S13	4	(user or client) with (prevent\$3 adj5 access\$3) with (performance near5 data)	US-PGPUB; USPAT	OR	ON	2004/11/05 15:00
S14	59	(enable near8 access\$3) with (performance near5 data)	US-PGPUB; USPAT	OR	ON	2004/11/05 15:11
S15	36	((enable near8 access\$3) with (performance near5 data)) and @ad<"20010627"	US-PGPUB; USPAT	OR	ON	2006/09/30 15:18
S16	2	"892424".ap.	US-PGPUB; USPAT	OR	ON	2004/11/08 16:10
S18	5367	709/224.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/30 15:18
S19	2482	709/225.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/30 15:18
S20	3125	709/229.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/30 15:18
S21	9813	S18 or S19 or S20	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/30 15:19
S22	426	(((((((user or client) with (performance near5 data)) and @ad<"20010627") and (user or client or terminal or workstation)) and (vendor or server)) and (portion or partial)) and (send\$3 or transmi\$6)) and @ad<"19990627"	US-PGPUB; USPAT	OR	ON	2006/09/30 15:19

					т	
S23	426	S22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/30 15:20
S24	343	(((user or client) with (performance near5 data)) and @ad<"20010627") and ((collect\$3 or aggregat\$3) with (performance near5 data))	US-PGPUB; USPAT	OR	ON	2006/09/30 15:20
S25	343	S24	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/30 15:20
S26	177	((((((user or client) with (performance near5 data)) and @ad<"20010627") and ((collect\$3 or aggregat\$3) with (performance near5 data))) and (portion or partial)) and (vendor or server)) and access\$3	US-PGPUB; USPAT	OR	ON	2006/09/30 15:20
S27	177	S26	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/30 15:20
S28	41	((enable near8 access\$3) with (performance near5 data)) and @ad<"20010627"	US-PGPUB; USPAT	OR	ON	2006/09/30 15:20
S29	41	S28	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/30 15:20
S30	47	S21 and S23	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/30 15:20
S31	71	S21 and S25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/30 15:21

9/30/06 8:24:28 PM

S32	40	S21 and S27	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/30 15:21
S33	4	S21 and S28	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/09/30 15:21

9/30/06 8:24:28 PM Page 4